



1. Substrate
2. Vapour control layer
3. Insulation
4. Dryseal flat sheet: HDH H 1250F
5. Anti-corrosive fixings where required
6. Dryseal trim: HDH H 0150 H
7. Dryseal trim: HDH H 0200 A
8. Butyl sealant strip
9. New elastomeric felt flashing strip onto existing prepared felt and over primed Dryseal detail
10. Existing felt
11. Existing insulation

|  |            |          |
|--|------------|----------|
| DRAWING TITLE  |            |          |
| Tie-In Detail- GRP over Felt   |            |          |
| PROJECT  |            |          |
| NA   |            |          |
| CLIENT   |            |          |
| HDL  |            |          |
| DRAWN  | DATE       | SHEET    |
| DB   | 12.10.2015 | 01       |
| SCALE  | PAPER SIZE | REVISION |
| NTS  | A4         | NA       |
| DRAWING NO   |            |          |
| TID GRPOF  |            |          |
| Hambleside Danelaw Ltd   |            |          |
| T 01327 701900   |            |          |
| F 01327 701909   |            |          |
| www.hambleside-danelaw.co.uk   |            |          |
| - All dimensions are in millimetres unless otherwise stated  |            |          |
| - All dimensions to be checked on site   |            |          |
| - Do not scale   |            |          |
| © Hambleside Danelaw Ltd, own the copyright of this document which is supplied in confidence, this document must not be used for any other purpose other than that it is supplied for. |            |          |

